

Green Coffee and Metabolic Syndrome: Potential Benefits and Risks

Carmine Finelli^{1*} and Simone Dal Sasso²

¹Department of Internal Medicine, ASL Napoli 3 Sud, Hospital "A. Maresca" Via Montedoro, 1, 80035 Torre del Greco (Napoli), Italy

²Independent Researcher, Naples, Italy

Submission: November 07, 2024; **Published:** November 26, 2024

***Corresponding author:** Carmine Finelli, Department of Internal Medicine, ASL Napoli 3 Sud, Hospital "A. Maresca" Via Montedoro, 1, 80035 Torre del Greco (Napoli), Italy, Email: carminefinelli74@yahoo.it

Keywords: Metabolic Syndrome; Abdominal Obesity; Chlorogenic Acids; Insulin Resistance; Cinnamic Acids

Abbreviations: Cardiovascular Diseases (CVD); Metabolic Syndrome (Mets); Leptin Interleukin (IL-6); Necrosis Factor- α (TNF- α); Monocyte Chemoattractant Protein-1 (MCP-1); Chlorogenic Acids (CGAs); High-Fat Diet (HFD)

Introduction

Major risk factors for cardiovascular diseases (CVD) such as diabetes, abdominal obesity, high blood pressure, and cholesterol are linked to the metabolic syndrome (MetS) [1]. MetS is typically characterized by the release of pro-inflammatory adipokines from adipose tissue, which are mostly made by invading macrophages, such as resistin, leptin, interleukin (IL-6), tumor necrosis factor- α (TNF- α), and monocyte chemoattractant protein-1 (MCP-1) [2-5]. Additionally, truncal subcutaneous fat storage and overall adiposity are linked to an increased risk of atherosclerosis in adulthood and it is crucial to develop effective treatments for MetS requiring an understanding of its biological underpinnings and how it advances within the framework of an exercise intervention [6].

One of the most popular drinks consumed worldwide is coffee. It has a high content of phenolic chemicals, which are known to act as preventive measures against degenerative illnesses that are chronic [7]. Epidemiological studies have shown a growing body of evidence linking coffee drinking to a decreased risk of acquiring the Mets [8,9] and T2DM [10,11]. The main phenolic components in coffee are called chlorogenic acids (CGAs). Although many plant foods naturally contain CGA, which are esters of specific cinnamic acids (caffeic, ferulic, or coumaric acid) with quinic acid, coffee beans are their main dietary supply [12-14]. Since a significant portion of the CGA is lost during roasting, green coffee (GC) beans have a higher concentration of CGA [15].

Numerous animal studies have shown that CGA has anti-diabetic, anti-obesity, and anti-lipidemic qualities [16,17]. It may also have the ability to reduce insulin resistance. Furthermore, in human trials, CGA has been shown to be able to lower blood pressure and postprandial glucose absorption [18,19]. It has been suggested that GC may be able to protect against T2DM and the Mets [16,20]. Some studies have shown that GC has mitigating effects on some Mets components, such as blood pressure, blood glucose, and lipid profile, as well as major Mets aetiological variables, such as obesity and insulin resistance, despite some null findings [16, 21]. For example, it is examined the effects on obese mice generated by high-fat diet (HFD) by ingesting 50, 100, or 200 mg/kg green coffee bean extract (GCE) for six weeks. In this study, when 100 or 200 mg/kg GCE with HFD was compared to HFD alone, there was a substantial decrease in body weight gain, fat mass, glucose, TAG, LDL, and total cholesterol (TC) concentration and a significant increase in HDL-cholesterol [22]. GCE shows encouraging outcomes in reducing the negative effects of an HFD-induced obesity [23]. Two important ingredients in green bean coffee, caffeine (CF) and chlorogenic acid (CLA), enhance thermogenesis in brown adipose tissue [24]. The obesity epidemic is becoming more widely acknowledged, but rates are still rising [25]. Poor adherence is commonly observed to the current first-line therapy, which include dietary modifications, calorie restriction, and physical activity [25]. Innovative dietary strategies can help people lose weight by addressing the

underlying reasons of obesity, such as mitochondrial dysfunction [25]. The research about the efficacy of green bean coffee extract (500 mg/day) in reducing weight gain is currently outdated, and there are other dosages of the supplement that contain CGA [26]. Another, over a 10-week supplementation period, it was demonstrated that GCE had positive effects on SBP, TG, hs-CRP, and HDL levels in patients with T2D and overweight/obesity [27]. The green coffee bean showed great potential in promoting liver health, increasing glucose-insulin sensitivity, and helping people maintain their weight in a healthy way [28]. However, there isn't enough information about green coffee to provide precise dosage guidelines.

Although generally harmless, green coffee carries a few possible risks [29,30]. Green coffee beans are inherently high in caffeine, much like roasted coffee beans [31]. While most healthy individuals may probably consume moderate amounts of caffeine without adverse effects, excessive consumption may cause negative symptoms like anxiety, insomnia, and elevated blood pressure [32].

The information about GCE's effects on Mets components is not entirely consistent. The majority of earlier research was done using animal models, and it evaluated CGA effects as opposed to GCE implications [15,33,34]. There are few interventional research examining the effects of GCE, and the ones that do usually have limited sample sizes and durations, lack randomization, blinding, and placebo control, among other drawbacks [27,35].

As far as we are aware, no clinical investigation has been carried out on the impact of GCE on Mets patients thus far, specifically. Further studies are expected to refine the pharmacological effects of green coffee on the metabolic syndrome for clinical use.

References

- Finelli C (2022) Metabolic Syndrome and Longevity: A Framework of Situation. *Biomed J Sci & Tech Res* 44(3).
- Finelli C (2022) Metabolic Syndrome and Berberine: A Framework of Situation. *Biomed J Sci & Tech Res* 42(1).
- Finelli C (2022) Metabolic Syndrome, Obesity and Irisin: State of the Art. *Biomed J Sci & Tech Res* 4 (2).
- Finelli C (2021) Metabolic Syndrome and Fetuin-A: Framework of Situation. *Biomed J Sci & Tech Res* 37(2).
- Finelli C (2021) Is Pentraxin 3 A Marker in Pathogenesis of Metabolic Syndrome? *Biomed J Sci & Tech Res* 38 (2).
- Finelli C , Dal Sasso S (2024) Metabolic syndrome, exercise and Gut Microbiota: Possible Correlation. *Biomed J Sci & Tech Res* 57(1).
- Rahman MM, Rahaman MS, Islam MR (2021) Role of Phenolic Compounds in Human Disease: Current Knowledge and Future Prospects. *Molecules* 27(1): 233.
- Tsai KZ, Huang WC, Sui X, Lavie CJ, Lin GM, et al. (2023) Moderate or greater daily coffee consumption is associated with lower incidence of metabolic syndrome in Taiwanese militaries: results from the CHIEF cohort study. *Front Nutr*.
- Corbi-Cobo-Losey MJ, Martinez-Gonzalez MÁ, Gribble AK (2023) Coffee Consumption and the Risk of Metabolic Syndrome in the 'Seguimiento Universidad de Navarra' Project. *Antioxidants (Basel)* 12(3): 686.
- Hosseini S, Bahadoran Z, Mirmiran P, Azizi F (2024) Habitual coffee drinking and the chance of prediabetes remission: findings from a population with low coffee consumption. *J Diabetes Metab Disord* 23(1): 817-824.
- Ding P, Yue W, Wang X, Zhang Y, Liu Y, et al. (2024) Effects of sugary drinks, coffee, tea and fruit juice on incidence rate, mortality and cardiovascular complications of type2 diabetes patients: a systematic review and meta-analysis. *J Diabetes Metab Disord* 23(1): 1113-1123.
- Geertsema J, Kratochvil M, González-Domínguez R (2024) Coffee polyphenols ameliorate early-life stress-induced cognitive deficits in male mice. *Neurobiol Stress*.
- Sagu ST, Ulbrich N, Morche JR (2024) Formation of Cysteine Adducts with Chlorogenic Acid in Coffee Beans. *Foods* 13(11): 1660.
- Kim YK, Lim JM, Kim YJ, Kim W (2024) Alterations in pH of Coffee Bean Extract and Properties of Chlorogenic Acid Based on the Roasting Degree. *Foods* 13(11): 1757.
- Awwad S, Issa R, Alnsour L, Albals D, Al-Momani I, et al. (2021) Quantification of Caffeine and Chlorogenic Acid in Green and Roasted Coffee Samples Using HPLC-DAD and Evaluation of the Effect of Degree of Roasting on Their Levels. *Molecules* 26 (24): 7502.
- Seliem EM, Azab ME, Ismail RS, Nafeaa AA, Alotaibi BS, et al. (2022) Green Coffee Bean Extract Normalize Obesity-Induced Alterations of Metabolic Parameters in Rats by Upregulating Adiponectin and GLUT4 Levels and Reducing RBP-4 and HOMA-IR. *Life (Basel)* 12(5): 693.
- Yan Y, Li Q, Shen L, Guo K, Zhou X, et al. (2022) Chlorogenic acid improves glucose tolerance, lipid metabolism, inflammation and microbiota composition in diabetic db/db mice. *Front Endocrinol (Lausanne)*.
- Lukitasari M, Saifur Rohman M, Nugroho DA, Widodo N, Nugrahini NIP, et al. (2020) Cardiovascular protection effect of chlorogenic acid: focus on the molecular mechanism. *F1000Res* 15(9): 1462.
- Nguyen V, Taine EG, Meng D, Cui T, Tan W, et al. (2024) Chlorogenic Acid: A Systematic Review on the Biological Functions, Mechanistic Actions, and Therapeutic Potentials. *Nutrients* 16(7): 924.
- Reis CEG, Dórea JG, Da Costa THM (2018) Effects of coffee consumption on glucose metabolism: A systematic review of clinical trials. *J Tradit Complement Med* 9(3): 184-191.
- Roshan H, Nikpayam O, Sedaghat M, Sohrab G (2018) Effects of green coffee extract supplementation on anthropometric indices, glycaemic control, blood pressure, lipid profile, insulin resistance and appetite in patients with the metabolic syndrome: a randomised clinical trial. *Br J Nutr* 119 (3): 250-258.
- Caro-Gómez E, Sierra JA, Escobar JS (2019) Green Coffee Extract Improves Cardiometabolic Parameters and Modulates Gut Microbiota in High-Fat-Diet-Fed ApoE^{-/-} Mice. *Nutrients* 11(3): 497.
- Pimpley VA, Das M, Gurusiddhaiah SK, Murthy PS (2023) Modulatory effect of green coffee bioactives on high-fat diet-induced obesity in C57BL6 mice model. *Nutrition* 115.
- Uner B, Macit Celebi MS (2023) Anti-obesity effects of chlorogenic acid and caffeine- lipid nanoparticles through PPAR- γ /C/EBP- α pathways. *Int J Obes (Lond)* 47(11): 1108-1119.
- Nederveen JP, Mastrodonardo AJ, Xhuti D (2023) Novel Multi-Ingredient Supplement Facilitates Weight Loss and Improves Body Composition in Overweight and Obese Individuals: A Randomized, Double-Blind, Placebo-Controlled Clinical Trial. *Nutrients* 15 (17): 3693.
- Kanchanasurakit S, Saokaew S, Phisalprapa P, Duangjai A (2023) Chlorogenic acid in green bean coffee on body weight: a systematic review and meta-analysis of randomized controlled trials. *Syst Rev* 12 (1): 163.

27. Khalili-Moghadam S, Hedayati M, Golzarand M, Mirmiran P (2023) Effects of green coffee aqueous extract supplementation on glycemic indices, lipid profile, CRP, and malondialdehyde in patients with type 2 diabetes: a randomized, double-blind, placebo-controlled trial. *Front Nutr* 10:1241844.
28. Verma N, Mittal M, Ali Mahdi A (2024) Clinical Evaluation of a Novel, Patented Green Coffee Bean Extract (GCB70®), Enriched in 70% Chlorogenic Acid, in Overweight Individuals. *J Am Nutr Assoc* 43(4): 315-325.
29. Sanlier N, Atik A, Atik I (2019) Consumption of green coffee and the risk of chronic diseases. *Crit Rev Food Sci Nutr* 59 (16): 2573-2585.
30. Pourmasoumi M, Hadi A, Marx W, Najafgholizadeh A, Kaur S, et al. (2021) The Effect of Green Coffee Bean Extract on Cardiovascular Risk Factors: A Systematic Review and Meta-analysis. *Adv Exp Med Biol* 1328: 323-345.
31. Sualeh A, Tolessa K, Mohammed A (2020) Biochemical composition of green and roasted coffee beans and their association with coffee quality from different districts of southwest Ethiopia. *Heliyon* 6(12): e05812.
32. Rodak K, Kokot I, Kratz EM (2021) Caffeine as a Factor Influencing the Functioning of the Human Body-Friend or Foe?. *Nutrient*13(9): 3088.
33. Dąbrowska I, Grzędzicka J, Niedzielska A, Witkowska-Piłaszewicz O (2023) Impact of Chlorogenic Acid on Peripheral Blood Mononuclear Cell Proliferation, Oxidative Stress, and Inflammatory Responses in Racehorses during Exercise. *Antioxidants (Basel)* 12 (11):1924.
34. Makiso MU, Tola YB, Ogah O, Endale FL (2023) Bioactive compounds in coffee and their role in lowering the risk of major public health consequences: A review. *Food Sci Nutr* 12 (2): 734-764.
35. Morvaridi M, Rayyani E, Jaafari M, Khiabani A, Rahimlou M, et al. (2020) The effect of green coffee extract supplementation on cardio metabolic risk factors: a systematic review and meta-analysis of randomized controlled trials. *J Diabetes Metab Disord* 19 (1): 645-660.



This work is licensed under Creative Commons Attribution 4.0 License
DOI: [10.19080/AJOP.2024.06.555691](https://doi.org/10.19080/AJOP.2024.06.555691)

**Your next submission with Juniper Publishers
will reach you the below assets**

- Quality Editorial service
- Swift Peer Review
- Reprints availability
- E-prints Service
- Manuscript Podcast for convenient understanding
- Global attainment for your research
- Manuscript accessibility in different formats
(Pdf, E-pub, Full Text, Audio)
- Unceasing customer service

Track the below URL for one-step submission
<https://juniperpublishers.com/online-submission.php>