



Proceeding

Volume 3 Suppl 1 – March 2017
DOI: 10.19080/AJPN.2017.03.555667

Acad J Ped Neonatol

Copyright © All rights are reserved by Bashir Elnaem

Neonatal Thyrotropineamia as Indicator of Iodine Status

Bashir Elnaem*

University of Gezira, Sudan

Submission: March 05, 2017; **Published:** March 28, 2017

***Corresponding author:** Bashir Elnaem, Faculty of Medicine, University of Gezira, Sudan

Introduction

Iodine deficiency is a major public health problem throughout Africa. The WHO classified Sudan as a country of moderate iodine deficiency.

Objective

We undertook a descriptive cross-sectional hospital-based study to assess the adequacy of iodine status in central Sudan (kosti -locality) using cord thyroid stimulating hormone (TSH).

Methods

Between December 2011 to May 2012, 309 newborns were screened by measuring TSH from umbilical cord. Those with TSH

more than 10mIU/ml were recalled for measurement of TSH and T4 from venous sample.

Results

37.5% has serum TSH levels >10mIU/L which indicate moderate iodine deficiency. The mean TSH level was 10.648-8.05 std, and no case of hypothyroidism was detected.

Conclusion

Based on this result there has been some improvement as this area as it has been previously classified as severe iodine deficiency; however Iodine deficiency still constitute a public health problem in this locality.



This work is licensed under Creative Commons Attribution 4.0 License
DOI:10.19080/AJPN.2017.03.555667

Your next submission with Juniper Publishers will reach you the below assets

- Quality Editorial service
- Swift Peer Review
- Reprints availability
- E-prints Service
- Manuscript Podcast for convenient understanding
- Global attainment for your research
- Manuscript accessibility in different formats
(Pdf, E-pub, Full Text, Audio)
- Unceasing customer service

Track the below URL for one-step submission

<https://juniperpublishers.com/online-submission.php>