

Centella Asiatica: A Pharmaceutically Important Medicinal Plant



Arpita Roy and Navneeta Bharadvaja*

Plant Biotechnology Laboratory, Department of Biotechnology, India

Submission: April 04, 2017; **Published:** June 16, 2017

***Corresponding author:** Navneeta Bharadvaja, Plant Biotechnology Laboratory, Department of Biotechnology, Delhi Technological University, New Delhi-110042, India, Email: navneetab@dtu.co.in

Abstract

Centella asiatica (gotu kola) is one of the important rejuvenating herbs for nerve and brain cells and is believed to be capable of increasing intelligence, longevity, and memory. Important bioactive compounds are triterpenoid saponins, including asiaticoside, centelloside, madecassoside, and asiatic acid. It possesses anti-leprotic, anti-viral, anti-bacterial, anti-tumor activities. Due to its medicinal importance, this plant is used for several purposes. Synthesis of nanoparticles from this plant is one of the important applications in the field of nano-biotechnology. This review provides an overall summary of phytoconstituents, pharmacological activity of Centella asiatica as well as its role in the silver nanoparticles synthesis.

Keywords: Centella asiatica; Asiaticoside; Pharmacological activity; Nanoparticles

Introduction

Medicinal plants are the traditional source of pharmaceutically important compounds which are utilized by the pharmaceutical companies for the preparation of several formulations. In the present time, there has been an increase in the use of herbal products around the world. World Health Organisation (WHO) also stated that more than 80% of the world's population relies on the herbal medicines [1]. The importance of medicinal plants is due to the presence of specific chemical compounds that produce a physiological effect on the human body. These bioactive chemical constituents of plants include saponin, flavanoids, alkaloids, sterols, tannins, phenols [2]. Medicinal plant-based drugs have an advantage over the other drugs because they are simple and offer a broad spectrum of activity. Furthermore, they have very less adverse side effects as compared to the chemotherapeutic drugs. India is rich in medicinal plant diversity and since the ancient times use of drugs of herbal origin is prevalent in the traditional system of medicines such as Ayurveda and Unani. There are about 426 biomes which comprise of different habitat diversity that gives rise to the richest centers for plant genetic resources in the world [3]. Out of 18,665 flowering species, only about 3000 plants have been used for the various formulations in classic system of medicines such as Ayurveda, Siddha and Unani [4].

Centella asiatica is one of the important traditional medicinal plant belonging to family Apiaceae and commonly

known as 'Gotu kola', 'Indian Pennywort' or 'Mandookaparni' in India. It is an important perennial medicinal herb found in the tropical and subtropical countries like India, Sri Lanka and Bangladesh. C. asiatica contains several triterpenes, saponins like asiaticoside, asiatic acid, sapogenins, madecassic acid, vellarin, adecassoside, glycosides and centelloside [5]. In India, it grows up to an altitude of 600-1800 meters above the sea level [6,7] on moist, clayey or sandy soils forming a dense green carpet. Centella asiatica has a glabrous stem and long petiolated fleshy leaves rooting at nodes. It is a softly perfumed plant that attains height up to 15cm. Stem is smooth and rooting occurs at the nodes. It grows extensively in damp, marshy, and wet places and flowering occurs during April to June with white to purple or pink flowers [8]. The whole plant is used for medicinal purposes and widely used as a blood purifier as well as for treating high blood pressure, for memory enhancement and promoting longevity [9]. It possesses several important properties like antileprotic, antifeedant, antistress, anti-tuberculosis activities, wound-healing properties, atherosclerosis antibacterial and fungicidal activity [10] Srivastava et al. 1997. It is used in the treatment of leprosy, wound, cancer, fever, allergies, abscesses, asthma, catarrh, convulsions, dysentery, eczema, gonorrhea, hypertension, headache, bronchitis, jaundice, pleuritis, rheumatism, ulcers, spasms, tuberculosis, urethritis, etc. Due to its medicinal importance, this plant is also used for the synthesis of silver nanoparticles. Application of nanoparticles

is growing rapidly due to their specific characteristics such as size, morphology, and distribution [11]. It gains application in various fields such as health care, biomedical, cosmetics, food and feed, drug environment, health, mechanics, optics, chemical industries, electronics, space industries, energy science, catalysis, etc. Tremendous increase in these technologies had opened applied frontiers and novel fundamentals. This includes the nanoscale materials production and utilization of their mysterious optoelectronic and physicochemical properties [12]. Nanoparticles are generally prepared by various chemical and physical methods which are potentially hazardous to the environment. Development of a biologically inspired process is an important branch of nanotechnology. Advantage of nanoparticle synthesis from biological source over chemical and physical method is: cost effect, eco-friendly and easily scaled up for large scale synthesis [13]. Use of plant extract for the synthesis of nanoparticles can be an advantageous over other biological processes by eliminating the elaborate process of maintaining cell culture. Reduction and stabilization of silver ions by combination of biomolecules such as proteins, enzymes, amino acids, polysaccharides, phenolics, terpenoids, saponins, alkaloids, tannins and vitamins which are already established in the plant extracts having medicinal values and are environmentally benign, yet chemically complex structures Kulkarni & Muddapur 2014. Therefore this review provides an insight into the chemical constituents, pharmacological activity and silver nanoparticles synthesis from *Centella asiatica*.

Chemical Constituent

Glycosides

Various glycosides have been isolated from this plant which includes Asiaticoside, Madecassoside, Brahmoside, Centelloside, Thakunaside, etc (Srivastava et al., 1997). Among them, asiaticoside, asiatic acid, madecassoside and madecassic acid are the most biologically active compounds [14]. Asiaticoside helps in collagen I synthesis in human clinically used as a wound healing agent in combination with madecassic and asiatic acids [15].

Triterpenic acids

Several pentacyclic triterpenic acids have been isolated and characterized from this plant. They occur either in free state or as aglycones of the naturally occurring saponins e.g. asiatic acid, madasiatic acid (Srivastava et al., 1997) brahmie acid, isobrahmie acid, thankunic acid, betulic acid, centioic acid, centellic acid, 6b-Hydroxiasiatic acid & terminolic acid [16].

Phytosterols

The plant is reported to possess Stigmasterol, Campesterol, Beta-sitosterol and stigma sterol-b-D-glucopyranoside (Srivastava et al., 1997). Phytosterols have the ability to reduce cholesterol levels and have potential to inhibit stomach, lung, breast and ovarian cancers [17,18]. Phytosterols also have the potential to reduce the elevated triglyceride levels which is a

risk factor for cardiovascular diseases [19]. It was found that the level of triglycerides reduced by 14% by supplementing 1.6g/day of plant sterols in a fermented milk beverage for six weeks [20].

Other constituents

Centella asiatica contains hydrocotylin, glycine, aspartic acid, glutamic acid, alanine and phenylalanine (Srivastava et al., 1997). Leaves contain 3-glucosylquercetin, 3-glucosylkaempferol and 7-glucosylkaempferol (Srivastava et al., 1997). It also contains volatile fatty acid which consists of steric, palmitic, oleic, lignoceric, linolenic and linoleic acids [18]. Amino acids such as glycine, aspartic acid, phenylalanine, glutamine acid and α -alanine also found in this plant.

Pharmacological Activities

Wound healing

Titrated extract of *Centella asiatica* which consists of mixture of three triterpenes (asiaticoside, asiatic acid and madecassic acid) stimulates glycosaminoglycan and collagen synthesis in rats [21]. Asiaticoside and asiatic acid were more active than madecassic acid in wound healing thus it appears to be an effective treatment of wound healing disturbances [22].

Central Nervous System

Mook-Jung et al. [23] reported that asiaticoside derivatives reduce or inhibit H₂O₂ induced cell death and lower the intracellular free radical concentration and protect against the effects of beta amyloid neurotoxicity. *Centella asiatica* extract was found to increase brain GABA levels [24].

Memory enhancing

Aqueous extract of *Centella asiatica* showed significant effect in memory enhancement which is due to the presence of brahminoside, brahmie acid and brahmie side in the plant [25,26]. Rao et al. [27] reported that fresh leaf juice of *Centella asiatica* improves spatial learning performance and enhanced memory retention in neonatal rats.

Antibacterial

Anonymous [28] reported that asiaticoside was an active agent against *Bacillus leprae*, *Mycobacterium tuberculosis* and *Entamoeba histolytica*. Methanolic extract of *Centella asiatica* showed inhibition zone against *V. alginolyticus*, *V. vulnificus* and *Streptococcus* sp. [29]. Sankar et al. [30] reported that methanolic extract of *Centella asiatica* showed antibacterial activity against three *Vibrio* species that are *V. harveyi*, *V. alginolyticus* and *V. parahaemolyticus* but acetone, chloroform and hexane extract was not shown any antibacterial activity against these species.

Antioxidant

In a study, it was reported that asiaticoside significantly increased the levels of catalase, superoxide dismutase, glutathione peroxidase, ascorbic acid and vitamin E in excision

type cutaneous wounds in rats. The level of antioxidant activity was highest during the initial stages of treatment [31]. Jayashree et al. [32] reported that crude extract of *C. asiatica* showed antioxidant activity in the lymphoma bearing mice.

Cardiovascular

Cesarone et al. [33] reported that in a clinical trial *Centella asiatica* extracts found to be efficacious in the treatment of reducing ankle, venous insufficiency, foot swelling, edema, improving capillary filtration rate and microcirculatory parameters. Alcoholic extract of whole plant showed cardioprotective activity in ischemia reperfusion induced myocardial infarction in rats [34].

Neuroprotective effects

Ramanathan et al. [35] reported that *Centella asiatica* extract protects monosodium glutamate-induced neurodegeneration. Water extract of *Centella asiatica* showed neuroprotective efficacy against 3-nitropropionic acid induced oxidative stress in brain of prepubertal mice enhanced glutathione levels, antioxidant defenses in brain regions [36,37].

Anti-diabetic

Chauhan et al. [38] reported that triterpenic fraction of *Centella asiatica* is useful in diabetic microangiopathy by improving the microcirculation and decreasing the capillary permeability. Also, a triterpenic fraction of *Centella asiatica* protects against the deterioration. Methanolic and ethanolic extracts had shown significant protection and lowered blood glucose levels to normal glucose levels in tolerance test. Kabir et al. [39] reported the anti-hyperglycemic activity of this plant in type II diabetic rats.

Application of *C. asiatica* in silver nanoparticles synthesis

In recent years, there is also a demand for nanoparticles in plant biotechnology. The advantage of using plant materials for the biosynthesis of nanoparticles is an interesting area for the development of new methods of nanomedicine. These particles can be prepared easily by different methods but the biological approach is one of the most effective, less time consuming and eco-friendly. Several nanoparticles have been synthesized by this plant like silver, gold, copper oxide, etc. Among several metal nanoparticles, silver nanoparticles have attained a special focus [40]. Silver nanoparticles are used in various technologies and incorporated into wide array of consumer products that take an advantage of their desirable conductive, optical and anti-bacterial properties. It is used in conductive inks and integrated into composites to enhance the thermal and electrical conductivity. It is used in biosensors and numerous assays where silver nanoparticles materials can be utilized as biological tags for quantitative detection. It incorporated in footwear, paints, wound dressing, cosmetics and plastics for their anti-bacterial properties. Logeswari et al. [41] reported that aqueous extract

was utilized for the synthesis of silver nanoparticles and the size of the silver nanoparticles synthesized by *Centella asiatica* were 33nm and irregular in shape. Rout et al. [42] also reported that aqueous leaf extract was utilized for the synthesis of silver nanoparticles and the size was 30-50nm and spherical and cubic in shape. Palaniselvam et al. [43] reported that leave extract of *Centella asiatica* used for the silver nanoparticles synthesis and peak obtained at 430nm and the size of synthesized nanoparticles were 50-60nm. Kumar et al. [44] 2017 reported the synthesis of silver nanocolloid from an aqueous extract of *Centella asiatica* and TEM results showed that these nanoparticles are almost spherical in shape with an average diameter of 15nm [45-48].

Conclusion

Centella asiatica has been used for many years for the treatment of various diseases. A significant amount of work has been done on its pharmacological activity and possible applications of chemical compounds from the whole part of the plant. The present review shows that *Centella asiatica* contains several different phytochemicals like saponins, glycosides, phytosterols, flavonoids, etc. Out of these phytochemicals saponins i.e. asiaticoside is an important one which is responsible for the different pharmacological activity. It was found that asiaticoside is the main phytochemical which helps in the wound healing activity. *Centella asiatica* also helps in the improvement of neurodegenerative disorder i.e Alzheimer's as it improves the memory. So it can be utilized as drugs for the treatment of neurodegenerative disorders. One of the important applications of this plant is in the synthesis of silver nanoparticles. Silver nanoparticles synthesis from plant source provides a greener approach as it eliminates the use of harsh chemicals.

References

1. Ekor M (2013) The growing use of herbal medicines: issues relating to adverse reactions and challenges in monitoring safety. *Frontiers in Pharmacology* 4: 177.
2. Vaidya AB (1997) The status and scope of Indian medicinal plants acting on central nervous system. *Indian Journal of Pharmacology* 29: S340-S343.
3. Ravishankar B, Shukla V (2007) Indian Systems of Medicine: A Brief Profile. *African Journal of Traditional, Complementary, and Alternative Medicines* 4(3): 319-337.
4. Schippmann UWE, Leaman D, Cunningham AB (2006) A comparison of cultivation and wild collection of medicinal and aromatic plants under sustainability aspects. In: Bogers RJ, Craker LE, Lange (Eds.). *Medicinal and Aromatic Plants* pp. 75-95.
5. Glasby JS (1991) *Dictionary of Plants Containing Secondary Metabolites*. Taylor and Francis, London.
6. Tiwari KN, Sharma NC, Tiwari V, Singh BD (2000) Micropropagation of *Centella asiatica* (L.), a valuable medicinal herb. *Plant Cell. Tissue and Organ Culture* 63: 179-185.
7. Patra A, Rai B, Rout GR, Das P (1998) Successful regeneration from callus cultures of *Centella asiatica* (Linn.) Urban. *Plant Growth Regulation* 24: 13-16.

8. Roy A, Kundu K, Saxena G, Kumar L, Bharadvaja N (2016) Effect of Different Media and Growth Hormones on Shoot Multiplication of In Vitro Grown *Centella asiatica* Accessions. *Advanced Techniques in Biology & Medicine* 4: 172.
9. Gohil KJ, Patel JA, Gajjar AK (2010) Pharmacological Review on *Centella asiatica*: A Potential Herbal Cure-all. *Indian Journal of Pharmaceutical Sciences* 72(5): 546-556.
10. Chakraborty T, Sinha Babu SP, Sukul NOC (1996) Preliminary evidence of antifilarial effect of *Centella asiatica* on canine dirofilariasis. *Fitoterapia* 67: 110-112.
11. Ahmed S, Ahmad M, Swami BL, Ikram S (2016) A review on plants extract mediated synthesis of silver nanoparticles for antimicrobial applications: A green expertise. *Journal of Advance Research* 7(1): 17-28.
12. Korbekandi H, Irvani S (2012) Silver nanoparticles, the delivery of nanoparticles.
13. Dhuper S, Panda D, Nayak PL (2012) Green synthesis and characterization of zero valent iron nanoparticles from the leaf extract of *Mangifera indica*. *Nano Trends Journal of Nanotechnology, Science and Applications* 13(2): 16-22
14. Inamdar PK, Teola RD, Ghogare, AB, Souza NJ (1996) Determination of biologically active constituents in *Centella asiatica*. *Journal of Chromatography A* 742: 127-130.
15. Bonte F, Dumas M, Chaudagne C and Maybeck A (1994) Influence of Asiatic acid, madecassic acid and asiaticoside on human collagen I synthesis. *Planta Med* 60(2): 133-135.
16. Jamil SS, Nizami Q, Salam M (2007) *Centella asiatica* (Linn.) Urban 6A Review. *Natural Product Radiance* 6(2): 158-170.
17. Tilvis RS, Miettinen TA (1986) Serum plant sterols and their relation to cholesterol absorption. *The American Journal of Clinical Nutrition* 43(1): 92-79.
18. Woyengo TA, Ramprasath VR, Jones PJ (2009) Anticancer effects of phytosterols. *European Journal of Clinical Nutrition* 63 (7): 813-820.
19. Malloy MJ, Kane JP (2001) A risk factor for atherosclerosis: Triglyceride-rich lipoproteins. *Advances in Internal Medicine* 47: 111-316.
20. Plana N, Nicolle C, Ferre R, Camps J, Cos R, et al. (2008) Plant sterol-enriched fermented milk enhances the attainment of LDL-cholesterol goal in hypercholesterolemic subjects. *European Journal of Nutrition* 47(1): 32-39.
21. Maquart FX, Chastang F, Simeon A, Birembaut P, Gillery P, et al. (1999) Triterpenes from *Centella asiatica* stimulate extracellular matrix accumulation in rat experimental wounds. *European Journal of Dermatologists* 9(4): 289-296.
22. Brinkhaus B, Lindner M, Schuppan D, Hahn EG (2000) Chemical, pharmacological and clinical profile of the east asian medicinal plant *Centella asiatica*. *Phytomedicine* 7(5): 427-448.
23. Mook-Jung I, Shin JE, Yun SH, Huh K, Koh JY, Park HK, et al. (1999) Protective effects of asiaticoside derivatives against beta-amyloid neurotoxicity. *Journal Neuroscience Res* 58(3): 417-425.
24. Chatterjee TK, Chakraborty A, Pathak M, Sengupta GC (1992) Effects of plant extract *Centella asiatica* (Linn.) on cold restraint stress ulcer in rats. *Indian Journal of Experimental Biology* 30(10): 89-91.
25. Bradwejn J, Zhou Y, Koszycki D (2000) A double-blind, placebo-controlled study on the effects of Gotu kola on acoustic startle response in healthy subjects. *Journal of Clinical Psychopharmacology* 20: 680-684.
26. Cesarone MR, Incandela L, De Sanctis, MT (2001) Flight microangiopathy in medium to long-distance flights: prevention of edema and microcirculation alterations with total triterpenic fraction of *Centella asiatica*. *Angiology* 52: S33-S37.
27. Rao KGM, Rao SM, Rao SG (2005) *Centella asiatica* (linn) induced behavioural changes during growth spurt period in neonatal rats. *Neuroanatomy* 4: 18-23.
28. Anonymous (1988) *The Wealth of India: A Dictionary of Indian Raw Materials and Industrial Products*. New Delhi, India
29. Wei N, Musa T, Sengm W, NAM S (2008) Antimicrobial properties of tropical plants against pathogenic bacteria isolated from aquatic organisms, *African Journal of Biotechnology* 7(13): 2275-2278.
30. Sankar GK, Ramamoorthy K, Sakkaravarthi K, Elavarsi A (2010) Antibacterial activity of herbal extract on pathogens isolated from the swollen hind gut of *P. Monodon* (fabricus): *Der Pharmacia Sinica* 1(3): 17-22.
31. Shukla A, Rasik AM, Jain GK, Shankar R, Kulshrestha DK, et al. (1999a) In vitro and in vivo wound healing activity of asiaticoside isolated from *Centella asiatica*. *Journal of Ethnopharmacology* 65(1): 1-11.
32. Jayashree G, Kurup Muraleedhara G, Sudarslal S, Jacob VB (2003) Anti-oxidant activity of *Centella asiatica* on lymphoma-bearing mice. *Fitoterapia* 74 (5): 431-434.
33. Cesarone MR, Laurora G, Sanctis MT de, Belcaro (1992) Activity of *Centella asiatica* in venous insufficiency. *Minerva Cardioangiologia* 40(4): 137-143.
34. Pragada RR, Veeravalli KK, Chowdary KP, Routhu KV (2004) Cardioprotective activity of *Hydrocotyle asiatica* L. in ischemia-reperfusion induced myocardial infarction in rats. *Journal of Ethnopharmacology* 93 (1): 105-108.
35. Ramanathan M, Sivakumar S, Anandvijayakumar PR, Saravanababu C, Pandian P (2007) Neuroprotective evaluation of standardized extract of *Centella asiatica* in monosodium glutamate treated rats. *Indian Journal of Experimental Biology* 45(5): 425-431.
36. Shinomol KG, Muralidhara (2008) Prophylactic neuroprotective property of *Centella asiatica* against 3-nitropropionic acid induced oxidative stress and mitochondrial dysfunctions in brain regions of prepubertal mice. *Neurotoxicology* 29: 948-957.
37. Shinomol KG, Ravikumar H, Muralidhara (2010) Prophylaxis with *Centella asiatica* confers protection to prepubertal mice against 3-nitropropionic-acid-induced oxidative stress in brain. *Phytotherapy Research* 24: 885-892.
38. Chauhan PK, Pandey IP, Dhatwalia VN (2010) Evaluation of the Anti-diabetic Effect of Ethanolic and Methanolic Extracts of *Centella asiatica* Leaves extract on Alloxan Induced Diabetic Rats. *Advances in Biological Research* 4(1): 27-30.
39. Kabir AU, Samad MB, D'Costa NM, Akhter F, Ahmed, et al. (2014) Anti-hyperglycemic activity of *Centella asiatica* is partly mediated by carbohydrazide inhibition and glucose-fiber binding. *BMC Complementary and Alternative Medicine* 14: 31.
40. Singhal GRB, Kasariya K, Sharma AR, Singh RP (2011) Biosynthesis of silver nanoparticles using *Ocimum sanctum* (Tulsi) leaf extract and screening its antimicrobial activity. *Journal of Nanoparticles Research* 13: 2981-2988.
41. Logeswari P, Silaqmbarasan S, Abraham J (2013) Ecofriendly synthesis of silver nanoparticles from commercially available plant powders and their antibacterial properties. *Scientia Iranica* 20(3): 1049-1054.
42. Rout A, Jena PK, Pardia UK, Bindhani BK (2013) Green synthesis of silver nanoparticles using leaves extract of *Centella asiatica* L. for studies against human pathogens. *International Journal of Pharma and Biosciences* 4(4): 661-674.

43. Palaniselvam K, Antony, Natanmurugaraj S, Govindanand K (2015) Bioreduction of *Centella asiatica* L and its bioactive investigation. *International Journal of Agriculture and Life sciences* 1(1): 14-18.
44. Kumar S, Mitra A, Halde D (2017) *Centella asiatica* leaf mediated synthesis of silver nanocolloid and its application as filler in gelatin based antimicrobial nanocomposite film. *LWT - Food Science and Technology* 75: 293-300.
45. Singh S, Gautam A, Sharma A, Batra A (2010) *Centella asiatica* L. a plant with immense potential but threatened. *International Journal of Pharmaceutical Science Review and Research* 4: 9-17.
46. Gohil KJ, Patel JA, Gajjar AK (1997) Chemistry and pharmacology of *Centella asiatica*: a review. *Journal of Medicinal & Aromatic Plant Science* 19: 1049-1056.
47. Chen YY, Wang CA, Liu HY, Qiu JS, Bao XH (2005) Ag/SiO₂: A novel catalyst with high activity and selectivity for hydrogenation of chloronitrobenzenes. *Chemical Communications*, 42: 5298-300.
48. Chakraborty T, Sinha Babu SP, Sukul NOC (1996) Preliminary evidence of antifilarial effect of *Centella asiatica* on canine dirofilariasis. *Fitoterapia* 67: 110-112.



This work is licensed under Creative Commons Attribution 4.0 License
DOI: [10.19080/CTBEB.2017.05.555661](https://doi.org/10.19080/CTBEB.2017.05.555661)

Your next submission with Juniper Publishers will reach you the below assets

- Quality Editorial service
- Swift Peer Review
- Reprints availability
- E-prints Service
- Manuscript Podcast for convenient understanding
- Global attainment for your research
- Manuscript accessibility in different formats
(Pdf, E-pub, Full Text, Audio)
- Unceasing customer service

Track the below URL for one-step submission

<https://juniperpublishers.com/online-submission.php>