

# Liquid - Liquid Flow Through Small Diameter Pipe



Dipankar Pal\* and Ashok Baruah

Department of Chemical Engineering, Assam Engineering College, Assam, India

Submission: October 04, 2018; Published: October 11, 2018

\*Corresponding author: Dipankar Pal, Assam Engineering College, Jalukbari, Guwahati, Assam, India, Tel: 9078519228; Email: dipripal@gmail.com

## Abstract

In this study, the flow patterns of toluene-water have been investigated experimentally in a vertical and horizontal milli channel. The flow regimes were observed by a high speed video recorder in pipe with diameter of 3mm. The comprehensive visualization of toluene-water flow in a vertical and horizontal milli channel has been performed to realize the physics of such a liquid-liquid flow. Different flow patterns of toluene-water flow were observed simultaneously in the milli channel at different values of toluene and water flow rates. Consequently, the flow pattern map was proposed for flow in the milli-channel, in terms of superficial velocities of two different liquid.

**Keywords:** Flow pattern; Liquid-liquid flow; Superficial velocities; Milli channel

## Introduction

Liquid-liquid flow through milli channel is widely encountered in various industry; namely; petroleum, pharmaceutical and fine chemical industry. In petroleum industry, oil and water are often produced and transported together [1]. The flow behaviour of oil - water mixtures is applicable to the design of pipelines, downstream separation facilities and pumps, and in the areas of corrosion prediction and production instrumentation interpretation [2]. A sound understanding of oil-water systems is also a platform to the understanding of more complex flows, such as the oil - water -gas ones. Multiphase tubular reactors of small diameter channels are mostly used for continuous production in pharmaceutical industry [3,4]. Optimal design of such facilities relies on substantial knowledge of the flow inside a pipe.

It is not possible to identify the two-phase flow phenomena without a clear understanding of the flow patterns encountered [4-8]. Flow patterns has significant influence on the two-phase pressure drop, holdup, and system stability, exchange rates of momentum, heat and mass during the phase-change heat transfer processes. Different experimental works have been reported in the literature to enhance the understanding of liquid-liquid flow in small diameter tube. In this paper experimental observation of toluene-water down, up and horizontal flow in different pipe diameters are presented [8-12]. Experiments have been performed over a wide range of superficial velocity of both the liquids to investigate the hydrodynamics of toluene - water flow through small diameter pipes. The present industrial trend has also triggered the demand for a comprehensive understanding of the hydrodynamics of liquid - liquid flow through such small diameter pipes in order to advance their design and process control [13-15].

## Experimental





Figure 1: Schematic of experimental set up.

Figure 1 shows a schematic of the experimental set up. It comprises of a capillary glass tube of length 1m and diameter 3mm. Glass tube was used for better visual observations and photography of the flow phenomena. Water and toluene was used as test fluids. Both liquids were pumped by centrifugal pumps (P1 and P2) from respective storage tanks (T1 and T2) as shown in Figure 2. The inlet flow rate of the test fluids were metered using rotameters (R1 and R2). The fluids enter the separator (S) after flowing through the test and exit sections. Various combinations

of water and toluene were observed visually with photograph by high-speed digital camera. Different flow pattern maps were identified by visual observation of all images. Photographs were

taken for a number of combinations of flow rates of water and toluene for different orientations. They were identified visually as well as by the photographic method.



**Figure 2:** Flow pattern map for two components up flow.

### Results and Discussion

#### Flow pattern from visual and photography


The Flow pattern as observed from visual and photographic recording has been discussed for different orientation of tubes. A digital still camera is used with proper light arrangement for photography. The ranges of existence of the different patterns have also been depicted in the form of flow pattern maps. The superficial velocities of both the phases have been selected as the co-ordinate axes.

#### Toluene water two phase upward flow in vertical pipes

A number of different flow patterns are observed during upward flow of toluene and water in 3 mm tube diameter. Figure

#### Flow of toluene water in horizontal pipes

2 shows flow pattern map of up flow of toluene and water. The map shows that at lower superficial velocity ( $Ust=0.2-0.4\text{ m/s}$  and  $Usw=0.1-0.5\text{ m/s}$ ), toluene slugs propagate through the continuous water phase [16-18]. The toluene slugs assume a Taylor bubble like shape and hence this flow pattern is termed as the "slug flow pattern". At very high water ( $Usw > 1\text{ m/s}$ ) velocity and low toluene flow rate ( $Ust < 0.6\text{ m/s}$ ) dispersion of toluene through water has been observed [18-20]. The pattern exhibits annular flow characteristics with further increase in toluene velocity at low water flow rates. As the toluene velocity is increased ( $> 2.6\text{ m/s}$ ) at low to moderate water velocity ( $0.2\text{ m/s} < Usw < 2\text{ m/s}$ ) the pattern exhibits water dispersion through toluene.




**Figure 3:** Flow pattern map for two components horizontal flow.

The map shows the pattern at low water and toluene flow rates is slug. Bubbly flow as shown in Figure 3 is characterised by spherical or non-spherical bubbles which may be of a size equivalent or less than that of the channel diameter. At high water and low toluene velocities, spherical bubbles were observed as shown in Figure 3. As the toluene velocity is increased further with low water flow rate, annular flow was observed. At very high water and toluene velocity, dispersed flow is observed [21].

### Air water two phase downward flow in vertical pipes

A schematic of flow pattern and their range of existence are given in the flow pattern map of Figure 4. This pattern extends for the range of 0.1m/s to 2.8m/s of toluene velocity and 0.1m/s to 3m/s of water velocity. At very high water velocity ( $> 2\text{m/s}$ ) annular flow regime has been observed. At very low velocity of water and toluene slug flow has been observed [18-21]. Dispersed flow has been identified at very high velocity of water and moderate velocity of toluene.



**Figure 4:** Flow pattern map for two components down flow.

### Conclusion

In this paper, flow patterns of liquid - liquid flow were investigated experimentally for milli channels with diameter of 3mm. An image processing technique was used for detection of flow patterns from pictures derived from films recorded with a high speed digital camera. Various types of flow regime were observed during up flow of toluene water; namely; slug, annular, dispersed. Bubbly flow was observed for horizontal flow. Annular flow was indentified at moderate velocity of toluene with low velocity of water during down flow. Water was dispersed at very high velocity of toluene with moderate flow rate of water during down flow. In case of horizontal flow dispersed flow was observed at high velocity of toluene and low to moderate velocity of water. The obtained flow patterns reveal that there was no new type of flow pattern during up flow and down flow of toluene water.

### References

- Hetsroni G, Mosyak A, Segal Z, Pogrebnyak E (2003) Two-phase flow patterns in parallel micro-channels. *Int J Multiphase Flow* 29: 341-360.
- Fugakata K, Kasagi N, Ua-arayaporn P, Himeno T (2007) Numerical simulation of gas liquid two-phase flow and convective heat transfer in a micro tube. *Int J Heat and Fluid Flow* 28(11): 72-82.
- He Q, Kasagi N (2008) Numerical investigation on flow pattern and pressure drop characteristics of slug flow in a micro tube. *6<sup>th</sup> Int. ASME Conf. on Nanochannels, Microchannels and Minichannels*, Darmstadt, Germany, pp. 327-335.
- Carlson A, Kudinov P, Narayanan C (2008) Prediction of two-phase flow in small tubes: a systematic comparison of state-of-the-art CMFD codes. *5th Europe Thermal-Sci Conf*, The Netherlands, pp. 138-150.
- Saisorn S, Wongwises S (2009) An experimental investigation of two-phase air-water flow through a horizontal circular micro-channel. *Exp Thermal Fluid Sci* 33(2): 306-315.
- Yao SC, Chang Y (1983) Pool boiling heat transfer in a confined space. *Int J Heat Mass Transf* 26(6): 841-848.
- Damianides DA, Westwater JW (1988) Two-phase flow patterns in a compact heat exchanger and in small tubes. In: (2<sup>nd</sup> edn), UK National Conf on Heat Transf, 11, London, United Kingdom, pp. 1257-1268.
- Mertz R, Wein A, Groll C (1996) Experimental investigation of flow boiling heat transfer in narrow channels. *Calore e Technologia* 14(2): 47-54.
- Kasza KE, Didascalou T, Wamblesganss MW (1997) Microscale flow visualization of nucleate boiling in small channels: mechanisms influencing heat transfer. *Int Conf on Compact Heat Exchanges for the Process Industries*, New York, USA, pp. 343-352.
- Lin S, Kew PA, Cornwell K (1998) Two-phase flow regimes and heat transfer in small tubes and channels. *11<sup>th</sup> Int Heat Transf Conf*, Kyongju Korea 2: 45-50.
- Bornea D, Luninsky Y, Taitel Y (1983) Flow pattern in horizontal and vertical two-phase flow in small diameter pipes. *Canadian J Chem Eng* 61(5): 617-620.
- Sheng CH, Palm B (2001) The visualization of boiling in small diameter tubes. *Int Conf on Heat Transport and Transport Phenomena in Microsystems*, Banff, Canada, pp. 44-53.

## Recent Advances in Petrochemical Science

13. Cornwell K, Kew PA (1992) Boiling in small parallel channels. CEC Conf on Energy Eff in Process Tech, Athens, Greece, pp. 624-638.
14. Ory E, Yuan H, Prosperetti A, Popinet S, Zaleski S, et al. (2000) Growth and collapse of a vapor bubble in a narrow tube. *Phys Fluids* 12(6): 1268-1277.
15. Ghiaasiaan SM, Abdel-Khalik SI (2001) Two-phase flow in microchannels. *Adv Heat Transf* 34: 145-253.
16. Jiang L, Wong M, Zohar Y (2000) Forced convection boiling in a microchannel heat sink. *Int J Micro-Electro-Mech Sys* 10: 80-87.
17. Chedester RC, Ghiaasiaan SM (2002) A proposed mechanism for hydro dynamically-controlled onset of significant void in microtubes. *Int J Heat Fluid Flow* 23(6): 769-775.
18. Kandlikar S (2002) Fundamental issues related to flow boiling in minichannels and microchannels. *Exp Therm Fluid Sci* 26(2-4): 389-407.
19. Lee J, Mudawar I (2005) Two phase flow in high heat flux micro channel heat sink for refrigeration cooling applications. *Int J Heat Mass Transf* 48: 941-955.
20. Serizawa A (2006) Gas liquid two-phase flow in microchannels. In: Crowe CT (Ed.), In: (2<sup>nd</sup> edn), In *Multiphase Flow Handbook*, CRC Press, USA, pp. 830-887.
21. Thome JR, Dupont V, Jacobi AM (2004) Heat transfer model for evaporation in micro channels: Part I: presentation of the model. *Int J Heat Mass Transf* 47(14-16): 3375-3385.



This work is licensed under Creative Commons Attribution 4.0 License  
DOI: [10.19080/RAPSCI.2018.06.555679](https://doi.org/10.19080/RAPSCI.2018.06.555679)

Your next submission with Juniper Publishers  
will reach you the below assets

- Quality Editorial service
- Swift Peer Review
- Reprints availability
- E-prints Service
- Manuscript Podcast for convenient understanding
- Global attainment for your research
- Manuscript accessibility in different formats  
**( Pdf, E-pub, Full Text, Audio )**
- Unceasing customer service

Track the below URL for one-step submission  
<https://juniperpublishers.com/online-submission.php>